

(Places Print Clearly)

HSG ORDER FORM

Arizona Reproductive Medicine Specialists

A Family Building Families...

To schedule an appointment call: 602-343-ARMS (2767)

www.ArizonaFertility.com

FAX THIS FORM TO 602.343.2766

WE DO ALL THE REST (Including Insurance Authorization)

(Flease Fillit Clearly)		
Date		
Patient Name		DOB
Email		
Referring Physician's Name		
Referring Physician's Phone Number		FAX
DX Code	Description	

Please fax front and back of patient's insurance card and include demographic sheet.

Check applicable boxes below

ш	Perioriii HSG per ARivis protocol		
	Prescribe antibiotic prophylaxis per ARMS protocol		
	Patient is to call ARMS with medical complications from this procedure.		
	Post Essure®		
	Date of Last Menstrual Period Anticipated date of next cycle day 1		

Important: You must call **ARMS** on **DAY 1** of your cycle to schedule an HSG.

The ARMS difference

- Procedure performed by experienced gynecologists
- Patients are pre-medicated to decrease pain
- Local anesthesia (paracervical block) is used to increase patient comfort
- Appropriate antibiotic prophylaxis is prescribed
- Physician will receive a written report and the HSG photos on paper and on disk

The Physicians and Staff of ARMS look forward to helping your patients achieve their dream of having a family.

The patient should bring this form with them to the appointment. See reverse side for instructions.





Hysterosalpingogram (HSG)

Reason for the test

An HSG is an x-ray of the inside of your uterus and fallopian tubes. A contrast fluid is infused to visualize any blockage of the tubes or intrauterine abnormalities.

Description of the test

The test takes about 15-30 minutes and is performed much like a pelvic exam and PAP smear. A speculum is placed in the vagina so that the opening of your uterus (cervix) can be visualized. The cervix is cleansed so that contrast fluid can be introduced into the uterus and up into the fallopian tubes. You may experience uterine cramps during the procedure that can last for a few minutes after the procedure is completed. To minimize these cramps we frequently numb the cervix just before the HSG is preformed. Two to four x-rays are taken during the entire procedure for further review.

Preparation for the test

- The HSG is timed so that it is performed soon after the menstrual bleeding ends but before ovulation. The procedure is usually done between day 5 and day 10 of your menstrual cycle.
- If you are not allergic or sensitive to aspirin-like products, we also recommend you take two tablets of Ibuprofen, (Advil, Motrin, Nuprin, etc.) one hour prior to the procedure.
- Rarely, a pelvic infection may develop after the HSG is performed, which may require hospitalization and treatment with antibiotics. To minimize the likelihood of a pelvic infection antibiotics are prescribed. Alert the office of any allergies to medications. We usually prescribe Zithromax 250 mg. Take two tablets with dinner the night before the procedure and two with breakfast the morning of the procedure, both with a full stomach. If you are allergic to Zithromax, an alternative antibiotic will be prescribed for you. Make sure to take this antibiotic on a full stomach, and drink plenty of water.
- A woman can be pregnant even though she has apparently had a period. For this reason we need a urine pregnancy test on all patients. Please take a urine pregnancy test the morning of your HSG, with your first urine of the day, bring the completed test to your HSG appointment.
- · You should bring someone with you to drive you home after the procedure is completed.
- If you are having anxiety, you may request a mild sedative Valium. A driver is necessary if you take this medication.

Precautions to take

Four important contraindications to performing an HSG are: allergies to iodine, radioactive contrast fluid or shellfish; pregnancy; active menstrual bleeding; and fever or illness on the day the procedure is to be done. If any of the above are occurring, please contact us as soon as possible so we may cancel the procedure in advance.

After the test

After the completion of the HSG you may experience some mild cramps and have spotting for a couple of days. If you should experience heavy bleeding, foul discharge, increased pelvic pain or chills/fever, please contact us immediately. The results of the HSG will be mailed to your referring physician.

Who to contact

For any questions you have prior to the procedure or if you have been experiencing severe cramps, fever or excessive bleeding after the procedure, please contact our office at 602.343.2767.

Important: You must call **ARMS** on **DAY 1** of your cycle to schedule an HSG.

Phoenix, AZ 85016 602.343.2767